



عبد اللطيف جميل  
للسيارات

# جدول الصيانة الدورية Maintenance Schedule

شركة عبد اللطيف جميل للبيع بالتجزئة المحدودة س.ت. 4030111449



## 1/1 الأعمال التي تتم على المركبة في الصيانة الوقائية عدد الكيلومترات : 1,000.

الرمز

I  
I  
I  
I  
A  
I\*  
C

1. فحص زيت المحرك.
2. فحص حالة الفرامل.
3. فحص الأضواء والبوق والمساحات.
4. فحص بطارية المحرك.
5. ضبط ضغط هواء الإطارات.
6. ضبط مستوى جميع السوائل.
7. تنظيف فلتر الهواء.

تغيير عند الضرورة	I**	ضبط إن لم يكن في النطاق المسموح به	I*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	-----	---------------------------------------	----	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم الإبلاغ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





## 1/1 الأعمال التي تتم على المركبة في الصيانة عدد الكيلومترات : 5,000.

الرمز

R  
|  
|  
|  
A  
|\*  
C

1. تغيير زيت وفلتر المحرك.
2. فحص حالة الفرامل.
3. فحص الأضواء والبوق والمساحات.
4. فحص بطارية المحرك.
5. ضبط ضغط هواء الإطارات.
6. ضبط مستوى جميع السوائل.
7. تنظيف فلتر الهواء.

تغيير عند الضرورة	I**	ضبط إن لم يكن في النطاق المسموح به	I*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	-----	---------------------------------------	----	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم إبلاغ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





2/1 الأعمال التي تتم على المركبة في الصيانة المتوسطة  
عدد الكيلومترات : 10,000 - 30,000 - 50,000 - 70,000 ... إلخ

الرمز

R  
R  
|  
|  
|  
|  
|

1. تغيير زيت المحرك.
2. تغيير فلتر زيت المحرك.
3. فحص دواسة الفرامل وفرامل الوقوف.
4. فحص أقمشة الفرامل وأقراصها.
5. فحص الأضواء والبوق والمساحات.
6. فحص بطارية المحرك.
7. فحص سائل جهاز التوجيه الآلي (إذا وجد).

تغيير عند الضرورة	**	ضبط إن لم يكن في النطاق المسموح به	*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	----	---------------------------------------	---	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم إبلاغ العميل في حال وجود قطعة ضرورية لحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات



2/2 الأعمال التي تتم على المركبة في الصيانة المتوسطة  
عدد الكيلومترات : 10,000 - 30,000 - 50,000 - 70,000 ... إلخ

الرمز

I  
I  
I  
L  
I\*  
A  
C

8. فحص عجلة القيادة، الربط، علبة التروس (إذا وجد).
9. فحص الوصلات الكروية وغطاء الغبار (إذا وجد).
10. فحص جهاز التعليق الأمامي والخلفي.
11. تشحيم أعمدة نقل الطاقة الحركية (إذا وجد). (إذا لزم)
12. فحص سائل الفرامل.
13. ضبط ضغط هواء الإطارات.
14. تنظيف فلتر الهواء.

تغيير عند الضرورة	I**	ضبط إن لم يكن في النطاق المسموح به	I*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	-----	---------------------------------------	----	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم إبلاغ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





2/1 الأعمال التي تتم على المركبة في الصيانة الرئيسية 1  
عدد الكيلومترات: 20,000 - 60,000 - 100,000 - 140,000 ... إلخ

الرمز

R  
R  
R  
R  
|  
|  
|  
|  
|  
|  
|  
|  
|  
|

1. تغيير زيت المحرك.
2. تغيير فلتر زيت المحرك.
3. تغيير شمعات الإحتراق (كل 100 ألف كم).
4. تغيير فلتر نظام تكييف الهواء.
5. فحص سائل تبريد المحرك (يغير عند 160 ألف كم).
6. فحص أنابيب العادم وأجزاء التثبيت.
7. فحص السيور.
8. فحص دواسة الفرامل وفرامل الوقوف.
9. تنظيف وتشحيم أقمشة الفرامل وأقراص فرامل صف السيارة.
10. فحص أنابيب الفرامل وخرابطيها.
11. فحص الأضواء والبوق والمساحات.
12. فحص بطارية المحرك.

تغيير عند الضرورة	**	ضبط إن لم يكن في النطاق المسموح به	*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	----	---------------------------------------	---	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم ابلخ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





## 2/2 الأعمال التي تتم على المركبة في الصيانة الرئيسية 1 عدد الكيلومترات: 20,000 - 60,000 - 100,000 - 140,000 ... إلخ

الرمز

	13.	فحص أعطية عمود الإدارة (جلود العكوس).
	14.	فحص زيت المفاضل.
	15.	فحص الوصلة الكروية لنظام التعليق وغطاء الغبار.
	16.	فحص التعليق الأمامي والخلفي.
	17.	فحص كمية مادة التبريد لمكيف الهواء.
	18.	شد البراغي / الصواميل الخاصة بعمود الدفع (إذا وجد).
	19.	تبدال مواقع الكفريات.
A	20.	ضبط ضغط هواء الإطارات.
*	21.	فحص سائل الفرامل.
*	22.	فحص سائل جهاز التوجيه الآلي (إذا وجد).
*	23.	فحص عجلة القيادة ووصلاتها وعلبة تروس التوجيه.
**	24.	فحص فلتر الهواء.
L	25.	تشحيم أعمدة نقل الطاقة الحركية (إذا وجد).

تغيير عند الضرورة	**	ضبط إن لم يكن في النطاق المسموح به	*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	----	---------------------------------------	---	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم الإبلاغ العميل في حال وجود قطعة ضرورية لتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





## 3/1 الأعمال التي تتم على المركبة في الصيانة الرئيسية 2 عدد الكيلومترات: 40,000 - 80,000 - 120,000 - 160,000 ... إلخ

الرمز

R	1. تغيير زيت المحرك.
R	2. تغيير فلتر زيت المحرك.
R	3. تغيير فلتر الوقود (كل 80 ألف كم).
R	4. تغيير فلتر الهواء.
R	5. تغيير فلتر نظام تكييف الهواء.
R	6. تغيير سائل الفرامل.
R	7. تغيير زيت المفاضل.
R	8. تغيير سائل تبريد المحرك (يغير عند 160 ألف كم).
I	9. فحص دواسة الفرامل وفرامل الوقوف.
I	10. تنظيف و تشحيم أقمشة الفرامل وأقراص فرامل الوقوف .
I	11. فحص أنابيب الفرامل وخرابطيها.
I	12. فحص أنابيب العادم وأجزاء التثبيت.

R	استبدال	I	فحص	C	تنظيف	L	تشحيم	A	ضبط	I*	ضبط إن لم يكن في النطاق المسموح به	I**	تغيير عند الضرورة
---	---------	---	-----	---	-------	---	-------	---	-----	----	------------------------------------	-----	-------------------

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم إبلاغ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات







## 3/2 الأعمال التي تتم على المركبة في الصيانة الرئيسية 2 عدد الكيلومترات: 40,000 - 80,000 - 120,000 - 160,000 ... إلخ

الرمز

	13.	فحص الأضواء والبوق والمساحات.
	14.	فحص بطارية المحرك.
	15.	فحص أغطية عمود الإدارة (جلود العكوس).
	16.	فحص الوصلة الكروية لنظام التعليق وغطاء الغبار.
	17.	فحص التعليق الأمامي والخلفي.
	18.	فحص كمية مادة التبريد لمكيف الهواء.
	19.	شد البراغي / الصواميل الخاصة بعمود الدفع (إذا وجد).
	20.	فحص نظام التبريد والتدفئة.
	21.	فحص خرطوم وتوصيلات جهاز تبريد زيت المحرك.
	22.	فحص غطاء خزان الوقود، خطوط الوقود، وصلات وصمام التحكم في بخار الوقود.
	23.	فحص أنابيب العادم.
	24.	فحص سائل تبريد وحدة التحكم بالطاقة (إذا وجد).

تغيير عند الضرورة	**	ضبط إن لم يكن في النطاق المسموح به	*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	----	---------------------------------------	---	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم الإبلاغ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





## 3/3 الأعمال التي تتم على المركبة في الصيانة الرئيسية 2 عدد الكيلومترات: 40,000 - 80,000 - 120,000 - 160,000 ... إلخ

الرمز

|  
A  
|\*  
|\*  
L  
|\*\*  
|\*\*  
|\*\*

- 25. تبديل مواقع الكفرات.
- 26. ضبط ضغط هواء الإطارات.
- 27. فحص سائل جهاز التوجيه الألي (إذا وجد).
- 28. فحص عجلة القيادة ووصلاتها وعلبة تروس التوجيه.
- 29. تشحيم أعمدة نقل الطاقة الحركية (إذا وجد)..
- 30. فحص زيت محول الدفع (إذا وجد).
- 31. فحص سائل ناقل الحركة التلقائي. (كل 80 ألف كم يتم تغيير زيت وفلتر ناقل الحركة)
- 32. فحص السيور.

تغيير عند الضرورة	**	ضبط إن لم يكن في النطاق المسموح به	*	ضبط	A	تشحيم	L	تنظيف	C	فحص	I	استبدال	R
----------------------	----	---------------------------------------	---	-----	---	-------	---	-------	---	-----	---	---------	---

تحتم وجود خلاف بسيط في الجدول أعلاه لتعدد الموديلات وتنوعها. الرجاء التحقق في كتيب مالك السيارة لمزيد من التفاصيل حول صيانة سيارتك

سيتم الإبلاغ العميل في حال وجود قطعة ضرورية بحاجة للتغيير

غسيل السيارة مجاني

عبد اللطيف جميل  
للسيارات





# 1/1 Jobs that will be done on the vehicle at the Safety Service Kilometers: 1,000.


1. Inspect engine oil.
2. Inspect brake status.
3. Inspect lights, horn and wipers.
4. Inspect engine battery.
5. Adjust tires pressure.
6. Level up all fluids.
7. Clean air filter.

Code

I  
I  
I  
I  
A  
I\*  
C

R	Replace	I	Inspect	C	Clean	L	Lubricate	A	Adjust	I*	Top up if not in the allowable range	I**	Change if necessary
---	---------	---	---------	---	-------	---	-----------	---	--------	----	--------------------------------------	-----	---------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
Please check the owner's manual for more details about the maintenance of your car  
Customer will be notified if there is a necessary part need to be changed  
Free car wash





# 1/1 Jobs that will be done on the vehicle at the Service Kilometers: 5,000.


1. Replace engine oil and filter.
2. Inspect brake status.
3. Inspect lights, horn and wipers.
4. Inspect engine battery.
5. Adjust tires pressure.
6. Level up all fluids.
7. Clean air filter.

Code

R  
I  
I  
I  
A  
I\*  
C

R	Replace	I	Inspect	C	Clean	L	Lubricate	A	Adjust	I*	Top up if not in the allowable range	I**	Change if necessary
---	---------	---	---------	---	-------	---	-----------	---	--------	----	--------------------------------------	-----	---------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash






1/2 Jobs that will be done on the vehicle at the Intermediate service  
 Kilometers: 10,000 - 30,000 - 50,000 - 70,000... etc.

	Code
1. Change engine oil.	R
2. Change engine oil filter.	R
3. Inspect brake pedal and parking brake.	I
4. Inspect brake pads and discs.	I
5. Inspect lights, horn and wipers.	I
6. Inspect engine battery.	I
7. Inspect power steering fluid (if Available).	I

R	Replace	I	Inspect	C	Clean	L	Lubricate	A	Adjust	I*	Top up if not in the allowable range	I**	Change if necessary
---	---------	---	---------	---	-------	---	-----------	---	--------	----	--------------------------------------	-----	---------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash





2/2 Jobs that will be done on the vehicle at the Intermediate service  
 Kilometers: 10,000 - 30,000 - 50,000 - 70,000... etc.


- 8. Inspect steering wheel, linkage and gear box (if Available).
- 9. Inspect suspension ball joints and dust cover (if Available).
- 10. Inspect front and rear suspension.
- 11. Lubricate propeller shafts (if Available). (in need)
- 12. Inspect brake fluid.
- 13. Adjust tires pressure.
- 14. Clean air filter.

Code

I  
I  
I  
L  
I\*  
A  
C

R	Replace	I	Inspect	C	Clean	L	Lubricate	A	Adjust	I*	Top up if not in the allowable range	I**	Change if necessary
---	---------	---	---------	---	-------	---	-----------	---	--------	----	--------------------------------------	-----	---------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash






1/2 Jobs that will be done on the vehicle at the Major 1 service  
 Kilometers: 20,000 - 60,000 - 100,000 - 140,000... etc.

	Code
1. Change engine oil.	R
2. Change engine oil filter.	R
3. Replace spark plugs (every 100,000km).	R
4. Replace air condition filter.	R
5. Inspect engine coolant (Change at 160,000km).	I
6. Inspect exhaust pipes and mountings.	I
7. Inspect drive belts.	I
8. Inspect brake pedal and parking brake.	I
9. Clean and lubricate brake linings, brake pads, discs and drums.	I
10. Inspect brake pipes and hoses.	I
11. Inspect lights, horn and wipers.	I
12. Inspect engine battery.	I

R	Replace	I	Inspect	C	Clean	L	Lubricate	A	Adjust	I*	Top up if not in the allowable range	I**	Change if necessary
---	---------	---	---------	---	-------	---	-----------	---	--------	----	--------------------------------------	-----	---------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash






2/2 Jobs that will be done on the vehicle at the Major 1 service  
 Kilometers: 20,000 - 60,000 - 100,000 - 140,000... etc.

	Code
13. Inspect drive shaft boots.	
14. Inspect differential oil.	
15. Inspect suspension ball joints and dust cover.	
16. Inspect front and rear suspension.	
17. Inspect refrigerant amount for air conditioner.	
18. Tighten bolts or nuts for drive shaft (if Available).	
19. Tires rotation.	
20. Adjust tires pressure.	A
21. Inspect brake fluid.	*
22. Inspect power steering fluid (if Available).	*
23. Inspect steering wheel, linkage and gear box.	*
24. Inspect air filter.	**
25. Lubricate propeller shafts (if Available).	L

<b>R</b> Replace	<b>I</b> Inspect	<b>C</b> Clean	<b>L</b> Lubricate	<b>A</b> Adjust	<b> *</b> Top up if not in the allowable range	<b> **</b> Change if necessary
------------------	------------------	----------------	--------------------	-----------------	--	--------------------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash








1/3 Jobs that will be done on the vehicle at the Major 2 service  
Kilometers: 40,000 - 80,000 - 120,000 - 160,000 ... etc.

	Code
1. Change engine oil.	R
2. Change engine oil filter.	R
3. Replace fuel filter (every 80,000 km).	R
4. Replace air filter.	R
5. Replace air condition filter.	R
6. Replace brake fluid.	R
7. Replace differential oil.	R
8. Replace engine coolant. (Change at 160,000 km)	R
9. Inspect brake pedal and parking brake.	I
10. Clean and lubricate brake linings, brake pads, discs and drums.	I
11. Inspect brake pipes and hoses.	I
12. Inspect exhaust pipes and mountings.	I

R	Replace	I	Inspect	C	Clean	L	Lubricate	A	Adjust	I*	Top up if not in the allowable range	I**	Change if necessary
---	---------	---	---------	---	-------	---	-----------	---	--------	----	--------------------------------------	-----	---------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
Please check the owner's manual for more details about the maintenance of your car  
Customer will be notified if there is a necessary part need to be changed  
Free car wash






2/3 Jobs that will be done on the vehicle at the Major 2 service  
 Kilometers: 40,000 - 80,000 - 120,000 - 160,000 ... etc.

	Code
13. Inspect lights, horn and wipers.	
14. Inspect engine battery.	
15. Inspect drive shaft boots.	
16. Inspect suspension ball joints and dust cover.	
17. Inspect front and rear suspension.	
18. Inspect refrigerant amount for air conditioner.	
19. Tighten bolts or nuts for drive shaft (if Available).	
20. Inspect cooling and heater system.	
21. Inspect engine oil cooler hoses and connections.	
22. Inspect fuel tank cap, fuel lines, connections and fuel vapor control valve.	
23. Inspect charcoal canister.	
24. Inspect power control unit coolant (if Available).	

<b>R</b> Replace	<b>I</b> Inspect	<b>C</b> Clean	<b>L</b> Lubricate	<b>A</b> Adjust	<b>I*</b> Top up if not in the allowable range	<b>I**</b> Change if necessary
------------------	------------------	----------------	--------------------	-----------------	--	--------------------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash






3/3 Jobs that will be done on the vehicle at the Major 2 service  
 Kilometers: 40,000 - 80,000 - 120,000 - 160,000 ... etc.

	Code
25. Tires rotation.	I
26. Adjust tires pressure.	A
27. Inspect power steering fluid (if Available).	I*
28. Inspect steering wheel, linkage and gear box.	I*
29. Lubricate propeller shafts (if Available).	L
30. Inspect transfer oil.	I**
31. Inspect automatic transmission fluid. (Replace ATM fluid & filter every 80,000).	I**
32. Inspect drive belts.	I**

<b>R</b> Replace	<b>I</b> Inspect	<b>C</b> Clean	<b>L</b> Lubricate	<b>A</b> Adjust	<b>I*</b> Top up if not in the allowable range	<b>I**</b> Change if necessary
------------------	------------------	----------------	--------------------	-----------------	--	--------------------------------

Necessitate to find a simple dispute in the table above for the multiplicity and diversity of models,  
 Please check the owner's manual for more details about the maintenance of your car  
 Customer will be notified if there is a necessary part need to be changed  
 Free car wash





# جدول الصيانة الدورية Maintenance Schedule

شركة عبداللطيف جميل للبيع بالجزء المحدودة س.ت. 4030111449